

In re Application of: Michelson et al.
Serial Number: 09/736,906

Claim Amendments

1. (Currently Amended) A Karaoke system comprising:
a video image capturing device for capturing a video image of a Karaoke performer;
a Karaoke medium player for retrieving audio signals and an indicia image of a song
from a Karaoke medium, said indicia image comprising images of words of the song embedded
in a background image;
means for vertically downscaling the indicia image, and repositioning the vertically
downscaled indicia image, periodically sampling an averaged background color of the indicia
image, and removing a portion of the background image from the indicia image based on the
averaged background color to form a modified indicia image;
means for compositing the modified indicia image with the image of the Karaoke
performer to provide an output video image for display on a video display.

Claim 2: Canceled.

3. (Previously Presented) A Karaoke system as in claim 1, wherein the means for
compositing overlays the modified indicia image on the image of the Karaoke performer.

4. (Previously Presented) A Karaoke system as in claim 1, wherein the means for
downscaling removes the background image in the indicia image completely.

5. (Original) A Karaoke system as in claim 1, wherein the means for downscaling and
the means for compositing are implemented in a stand-alone device separate from the Karaoke
medium player.

In re Application of: Michelson et al.
Serial Number: 09/736,906

6. (Original) A Karaoke system as in claim 1, wherein the means for downscaling and means for compositing are implemented as components of the Karaoke medium player.

7. (Original) A Karaoke system as in claim 6, wherein the Karaoke medium player is a compact-disk-plus-graphics (CD+G) player.

8. (Original) A Karaoke system as in claim 1, wherein the means for downscaling vertically downscales the indicia image by selectively dropping lines of the indicia image.

9. (Currently Amended) A Karaoke video image processing device comprising:
a first video input for receiving from a Karaoke medium player an indicia image associated with a song being played back, the indicia image comprising images of words of the song embedded in a background image;

a second video input for receiving a second video image from a second external video source;

an electronic circuit having components to vertically downscale the indicia image, and reposition the vertically downscaled indicia image, periodically sample an averaged background color of the indicia image, remove ~~and removing~~ a portion of the background image from the indicia image based on the averaged background color to provide a modified indicia image, and ~~to~~ composite the modified indicia image with the second video image to form an output video image for display on a video display.

10. (Previously Presented) A Karaoke video image processing device as in claim 9, wherein the electronic circuit overlays the modified indicia image on the second video image to form the output video image.

In re Application of: Michelson et al.
Serial Number: 09/736,906

11. (Previously Presented) A Karaoke video image processing device as in claim 10, wherein the electronic circuit removes the background image in indicia image completely.

12. (Currently Amended) A Karaoke medium player comprising:
a reader for retrieving data from a Karaoke medium, the data comprising audio data and an indicia image comprising images of words of a song embedded in a background image;
an external video input for receiving an external video image;
a video processing circuit having components for vertically downscaling the indicia image, and repositioning the vertically downscaled indicia image, periodically sampling an averaged background color of the indicia image, and removing a portion of the background image in the indicia image based on the averaged background color to form a modified indicia image, and combining the modified indicia image with the external video image to form an output video image for display on a video display;
an audio processor for processing the audio data to provide an output audio signal; and
an audio output for outputting the output audio signal.

13. (Previously Presented) A Karaoke medium player as in claim 12, wherein the video processing circuit removes the background image of the indicia image completely.

14. (Original) A Karaoke medium player as in claim 12, wherein the Karaoke medium is a compact-disk-plus-graphics (CD+G) disk.

In re Application of: Michelson et al.
Serial Number: 09/736,906

15. (Previously Presented) A Karaoke medium player as in claim 14, wherein the video processing circuit includes a CD+G decoder for compositing the modified indicia image with the external video image.

16. (Original) A Karaoke medium player as in claim 12, wherein the video processing circuit includes a subcode processor for receiving a stream of subcode data retrieved from the Karaoke medium representing the indicia image and modifying the subcode data to effect the downscaling and repositioning.

17. (Original) A Karaoke medium player as in claim 16, wherein the Karaoke medium is a compact-disk-plus-graphics (CD+G) disk and the video processing circuit further includes a CD+G decoder, and wherein the subcode processor sends the modified subcode data to a microprocessor interface of the CD+G decoder.

18. (Currently Amended) A method of generating video images for Karaoke applications, comprising the steps of:

capturing a video image of a Karaoke performer;

retrieving audio data and an indicia image associated with a song being performed by the Karaoke performer, the indicia image comprising images of words of the song embedded in a background image in the video data;

vertically downscaling the indicia image, and repositioning the vertically downscaled indicia image, periodically sampling an averaged background color of the indicia image, and removing a portion of the background image from the indicia image based on the averaged background color to form a modified indicia image;

In re Application of: Michelson et al.
Serial Number: 09/736,906

compositing the modified indicia image with the image of the Karaoke performer to form an output video image for display on a video display.

19. (Previously Presented) A method as in claim 18, wherein the step of removing removes the background image of the indicia image completely.

20. (Original) A method as in claim 18, wherein the step of downscaling reduces a vertical height of the indicia image by line dropping.